AKAH

Universal Hunting Binoculars

with excellent price-performance ratio!



50075 8x56 GA



50077 8x42 OB
50078 10x42 OB



50076 8x26 OB





AKAH hunting binocular 8x56 GA

The AKAH hunting binocular will match all needs of the hunters. A light strong binocular in a compact and elegant design. Modern fully coated lenses and BAK-4 prisms provide in connection with the large objective diameter a bright, detailed, high-contrast image reproduction. The green rubber armour absorbs moisture and is comfortable and safe to hold. Multi-stage twist-up eyecups and central focus of the grip with integrated diopter compensation ensure simple operation even with gloves.

Included is a high quality hard case with a neoprene strap, eyepiece and objective lens protection caps

50075 8x56 GA **€ 229,-**

AKAH Binoculars 8x26 OB /8x42 OB / 10x42 OB

AKAH quality optics for stalking, bird-watching or observation of nature.

New outlook with open-bridge design for easy one-hand operation. Fully multi-coated optics for higher light transmission. BAK-4 roof type prism for clear, bright resolution images. Waterproof, for proof with nitrogen filled thermoplastic-body with green rubber armouring. Twist-up eyecups. Comes with soft case, carrying strap, eye-piece and objective covers.

50076 8x26 OB **€ 59,-**
50077 8x42 OB **€ 149,-**
50078 10x42 OB **€ 149,-**

AKAH Rangefinder X-Range

This very compact monocular laser rangefinder shows per button exactly the distance up to 600 m and is switchable from meters to yards. Various operating modes (standard / rain / reflection measurement) can determine distances even under poor measurement conditions.

Specifications:
Magnification: 6x.
Objective lens diameter: 25 mm.
Weight: 180 g.
Dimensions: 130 x 90 x 50 mm.
Splash-water-proofed.
Battery: 1x CR2 3V.
Laser: Class I (eye safe).

50090 AKAH X-Range **€ 199,-**

Leather Carrying Strap

black leather, with neck protection
50812 **€ 7,90**

Stock N°	Model / Magnification	Exit pupil [mm]	Twilight factor	Field of View 1.000m	Weight [g]	Dimensions H x W [mm]	Price €
50076	**8 x 26**	3,25	14,42	122	380	117 x 115	**59,-**
50077	**8 x 42**	5,25	18,3	124	660	146 x 135	**149,-**
50078	**10 x 42**	4,2	20,8	106	660	146 x 135	**149,-**
50075	**8 x 56**	7	21,16	107	1.120	167 x 148	**229,-**
50090	**AKAH X-Range**				180	130 x 90	**199,-**





New

Large, comfortable eye relief

Transmission day-light > 92%

PASSIONdrop hydrophobic coating

Tripod suitable

GPO PASSION™ HD

Premium class binoculars - ideal, light companion for high quality observation

PASSION™ HD represent the absolute premium class from GPO. HD optical design combined with state-of-the-art multi-layer coatings creates optical excellence in transmission, field of view, edge-to-edge sharpness, close focus and colour reproduction. Thanks to our hydrophobic coating PASSIONdrop™ all optics are dirt and water repellent. The innovative microbridge offers a high quality and very ergonomic design. Magnesium housing, coated magnesium bridge and the fully machined aluminium rotary eyecups provide maximum ruggedness with minimal weight.

The diopter adjustment was integrated in the central focusing wheel to provide comfortable ease of use. If you do not want to compromise on the quality of your binoculars and are looking for an extremely fair price-performance ratio, you will find it here.

Comes with:
instruction manual, cleaning cloth, hard case, neoprene neck strap, hard case strap, objective covers, ocular covers.



New



New

PASSION™ HD 8x42

PASSION™ HD 10x50

PASSION™ HD 8x42 / 10x42

Universal Companion

The PASSION™ HD 8x/10x 42mm models are compact, lightweight and high-quality options for all your outdoor needs.

PASSION™ HD 8,5x50 / 10x50 / 12,5x50

Big Performance

The PASSION™ HD 8.5x/10x/12.5x 50mm models are characterized by large objective lenses to allow for higher light transmission for the most challenging light conditions.

Stock N°	Model	Magnification	Objektive Ø [mm]	Exit pupil Ø [mm]	Field of view at 1000 m	HxW [mm]	Weight [g]
50122.000	GPO PASSION HD 8x42	8x	42	5,25	125	156 x 130	850
50123.000	GPO PASSION HD 10x42	10x	42	4,2	112	156 x 130	860
50125.000	GPO PASSION HD 8,5x50	8,5x	50	5,88	105	175 x 135	950
50127.000	GPO PASSION HD 10x50	10x	50	5	103	175 x 135	960
50129.000	GPO PASSION HD 12,5x50	12,5x	50	4	92	175 x 135	970

Only available in Germany and Austria.

RANGEGUIDE™ 2800
RANGETRACKER™ 1800





New

GPO RANGEFINDER

For perfect high-quality observation

GPO provides laser rangefinders designed and tested to meet the needs of users from across the world for all their observation needs. The GPO laser rangefinder line offers the perfect high-quality observation optics at an unbeatable price performance ratio.

- Distance measurement up to 2,800 m
- Hyperscan mode with 4 measurements per second
- Dual TargetSeeker technology
- Temperature sensor
- Slope Correction

RANGEGUIDE™ 2800

Excellent light-transmission

The RANGEGUIDE™ 2800 laser rangefinder binoculars which represent the height of design, function and performance provide excellent light-transmission, edge-to-edge sharpness, close focus and brilliant colour reproduction. Design wise, RANGEGUIDE™ 2800 provides a unique and elegant design while the magnesium housing, provides maximum ruggedness with minimal weight. To round out the top-class features GPO has included a laser rangefinder engine with a range capability of 2800 meter, angle reading as well as temperature. OLED display, 9 brightness modes.

Comes with: Neoprene neck strap, user manual, cleaning cloth, hard case with carrying strap, objective covers, ocular covers.

RANGETRACKER™ 1800

Fast laser rangefinding

The GPO RANGETRACKER™ 1800 is designed to meet all your hunting laser rangefinder needs. In its the development, emphasis was placed on intuitive user-friendliness. The integrated visual TargetFinder feature, and SLOPE technology are combined with one of the fastest laser rangefinding systems on the market. Furthermore, the RANGETRACKER™ 1800 is lightweight, compact and can be operated ergonomically with one hand (LxWxH: 94x33x76 mm). Available in colour variants black and green.

- Distance measurement up to 1,800 m
- Hyperscan mode with 4 measurements per sec
- Dual TargetSeeker technology
- Slope Correction



Stock N°	Model	Magnification	Objektive Ø [mm]	Exit pupil Ø [mm]	Field of view at 1000 m	Distance [m]	Weight [g]
50140.000	**GPO RANGEGUIDE 2800 8x50**	8x	50	6,3	115	max.: 2.800 min.: 3 roe: 700	1.050
50146.000	**GPO RANGETRACKER 1800 6x20 Black**	6x	20	3,33	7,5°	max.: 1.800 min.: 6	148
50146.001	**GPO RANGETRACKER 1800 6x20 Green**	6x	20	3,33	7,5°	max.: 1.800 min.: 6	148

Only available in Germany and Austria.

Leica Geovid R.

Robust, leicht und bewährt.



LICHTSAMMLER
1 Geovid 8 x 56 R **2.100,- €**

Leica Geovid R.
Fernglas und Entfernungsmesser – beides in einem Produkt.
Die Fokussierung auf wenige, wesentliche Merkmale machen die Geovid R Modelle erschwinglich für all diejenigen, die sich bisher noch nicht für ein Entfernungsmesser-Fernglas der Premiumklasse entscheiden konnten. Die Messreichweite von 1.100 m ist für die meisten jagdlichen Anwendungen ideal. Die grundlegende Ballistikfunktion zur Winkelkompensation wurde integriert, um die Sicherheit für den waidgerechten Schuss noch weiter zu erhöhen – bergauf und bergab.



2 Geovid 8 x 42 R



3 Geovid 10 x 42 R



4 Geovid 15 x 56 R



Leica Geovid HD-R 2700.

Mit linearer, ebenengleicher Entfernung (EHR).

Leica Geovid HD-R 2700 Entfernungsmesser.
Die Geovid HD-R 2700 Modelle kombinieren ergonomisches Design mit gestochen scharfer, kontrastreicher Optik und zuverlässiger Entfernungsmessung. Eine intuitive Bedienbarkeit ist garantiert, da zur Ausgabe der ebenengleichen Entfernung (EHR) keine vorherige Programmierung notwendig ist. In bergigem Gelände erhalten Sie durch die Ausgabe der winkelkompensierten Schussentfernung mehr Sicherheit und Flexibilität. Der Leica eigene Algorithmus berücksichtigt neben linearer Distanz und Winkel immer auch eine realistische Geschossflugbahn und ist deshalb genauer als die Rifleman's Rule (Cosinus-Funktion). Das Ergebnis ist eine höchst präzise Berechnung der echten, ballistischen Distanz (EHR) bis 1.100 m/1.200 yds.



5 Geovid 8 x 42 HD-R 2700



6 Geovid 10 x 42 HD-R 2700



7 Geovid 8 x 56 HD-R 2700

LEICA NEWS

VERPASSEN SIE NIE MEHR DIE SCHÖNSTEN MOMENTE MIT LEICA

Melden Sie sich jetzt für unsere Leica News an:
https://spo.leica-camera.com

Leica Geovid 3200.COM Mit Ballistiksystem ABC®.



Bahnbrechende Benutzerfreundlichkeit dank Leica Hunting App.

Wiederholgenaue und absolut präzise Entfernungsmessung auch bei widrigen Bedingungen bis zu 3.200 Yards (2.900 Metern).







Mit der Leica Hunting App individuelles Ballistikprofil erstellen, übertragen und immer wieder aufrufen.

Leica Ballistiksystem ABC®:
1. Absehen-Klickverstellung
2. Haltepunktkorrektur in cm oder Inch
3. Echte ballistische Distanz (EHR)



Leica Rangemaster. Maximale Präzision und Sicherheit.



9 Rangemaster CRF 2800.COM und Leica Hunting App

Leica Rangemaster CRF 2800.COM
Die einzigartige Kombination aus Bluetooth®-Konnektivität, präziser Distanzmessung, ballistischer Funktionalität und Optik höchster Güte im kompakten Design bietet hohe Präzision und Sicherheit bei der Entfernungsmessung. Die Einstellung des individuellen Ballistikprofils über die Leica Hunting App ist einfach und komfortabel. Via Bluetooth® erhält der Rangemaster 2800.COM die individuellen ballistischen Daten.

Leica Rangemaster CRF 2400-R.
Flexibel, handlich und mit ballistischer Funktionalität – das perfekte Einsteigermodell für alle, die Wert auf zuverlässige Messergebnisse im unwegsamen Gelände legen. Der CRF 2400-R gibt Ihnen präzise die lineare und ebenengleiche Entfernung an.

Leica Entfernungsmesser im Überblick:
Geovid und Rangemaster

Alle Leica Entfernungsmesser mit AquaDura®-Vergütung, außer Geovid R-Modelle.

Abb.	Produktbezeichnung	Vergrößerung	Objektiv-Ø mm	Austrittspupille Ø mm	Dämmerungszahl	Sehfeld auf 1000 m	H x B mm	Gewicht g inkl. Batterie	Art. Nr.	Preis €
2	**Geovid 8 x 42 R**	8x	42	5,25	18,3	125	173x125	950	**50363.700**	**1.850,-**
3	**Geovid 10 x 42 R**	10x	42	4,2	20,5	110	168x125	945	**50364.700**	**1.900,-**
1	**Geovid 8 x 56 R**	8x	56	7,0	21,2	118	182x135	1.100	**50362.700**	**2.100,-**
4	**Geovid 15 x 56 R**	15x	56	3,7	29,0	75	210x134	1.300	**50365.700**	**2.550,-**
5	**Geovid 8 x 42 HD-R 2700**	8x	42	5,25	18,3	130	178x125	975	**50363.427**	**2.550,-**
6	**Geovid 10 x 42 HD-R 2700**	10x	42	4,2	20,5	114	174x125	980	**50364.427**	**2.600,-**
7	**Geovid 8 x 56 HD-R 2700**	8x	56	7,0	21,2	118	187x153	1.205	**50362.427**	**2.900,-**
8	**Geovid 8 x 42 3200.COM**	8x	42	5,25	18,3	130	178x125	975	**50363.320**	**3.000,-**
o. Abb.	**Geovid 10 x 42 3200.COM**	8x	42	4,2	20,5	114	174x125	980	**50364.320**	**3.100,-**
o. Abb.	**Geovid 8 x 56 3200.COM**	15x	56	7,0	21,2	118	187x153	1.205	**50362.320**	**3.300,-**
9	**Rangemaster CRF 2800.COM**	7x	24	3,4	13	115	Länge 113 75x34	189	**50373.000**	**750,-**
o. Abb.	**Rangemaster CRF 2400-R**	7x	24	3,4	13	115	75x34	189	**50376.000**	**550,-**

Alle Produkte und technischen Daten finden Sie unter
www.leica-sportoptics.com

unverbindliche Preisempfehlung

Leica Ferngläser.

Universell, kontrastreich und brillant.



1 Noctivid 10 x 42

2 Ultravid 8 x 50 HD-Plus **3** Ultravid10 x 25 BR

Leica Noctivid.

Ein Jahrhundert gewachsenes Wissen wird Wirklichkeit.

Über ein Jahrhundert Erfahrung in der Entwicklung von fernoptischen Geräten, Mikroskopen und Kameras gipfeln heute in der innovativsten Familie unter den Leica Ferngläsern: den Noctivid. Die Meilensteine setzen die Mechanik und Optik der Leica Fernglasfamilie. Bei den optischen Werten vereint das Noctivid das Beste aus innovativen und bewährten Technologien. Die bereits in der Leica Ultravid HD-Plus Optik eingesetzten Schott HT™ (Hochtransmissions-) Gläser sorgen auch im Noctivid für verblüffend natürliche Farben und höchste Transmission. Komplexe, innovative Blendensysteme zur Streulichtunterdrückung ergeben detailreiche, brillante Bilder bis zum Rand mit gestochen scharfen Kontrasten. In jeder Lebenslage einsetzbar, setzen diese Ferngläser auch im Design Maßstäbe: Kompakt in den Abmessungen, stilvoll und elegant, trotzdem unglaublich robust und belastbar.

Leica Ultravid HD-Plus.

Universell einsetzbar, licht- und kontraststark.

Die Ferngläser der Ultravid HD-Plus Serie sind die perfekten Universalgläser, von der Treib- bis zur Ansitzjagd. So werden bei den HD-Plus Modellen besondere Schott-Gläser mit hervorragender Transmission (Schott HT™ Gläser) für die Prismen eingesetzt. Zudem wurde die optische Leistung durch neue, innovative Coating-Verfahren verbessert, was zu mehr Transmission im blau-violetten Spektralbereich führt und damit zu einer höheren Bildhelligkeit, verbesserter Farbübertragung und deutlich gesteigertem Dämmerungssehen.

Leica Ultravid Kompakte.

Sie sind heller, brillanter und robuster als andere Ferngläser dieser Objektivgröße – und sie passen in jede Jackentasche. Die erste Wahl für alle Naturliebhaber, die in die professionelle Beobachtung einsteigen möchten. Auch in beledert schwarz und beledert silber erhältlich: Modelle und Preise auf Anfrage.

Leica Trinovid Klassik.

Die Rückkehr der Fernglas-Ikone.

Die Leica Trinovid-Ferngläser sind eine Hommage an die Fernglas-Ikone der 1960er Jahre. Formschön, schlank und elegant im klassischen Fernglas-Design mit schwarzer Beledерung sind sie ein Statement und zeitloses Accessoire, um die besonderen Momente intensiv zu erleben. Die präzise, leistungsstarke Premium-Optik, die Anwendern einen beeindruckenden Überblick beschert, sorgt zusammen mit der intuitiven Bedienung dafür, dass auch kleinste Details entspannt beobachtet werden können. Neueste Glassorten und Vergütungen garantieren brillante, natürliche Farben und kontrastreiche, lichtstarke Bilder bis zum Rand. Geschützt durch ein ultraleichtes Aluminiumgehäuse und modernste Materialien, sind die Trinovid-Ferngläser robust, klimafest, spritzwasser- und regendicht. Auch unter intensiven Bedingungen sind sie jeder Herausforderung gewachsen und somit der perfekte Begleiter, egal ob auf Reisen oder Wandertouren.

Zubehör für Leica Ferngläser.

Neopren-Fernglasgurt olivgrün

Art. Nr. **50370. 004**
Preis **60,- €**



Neopren-Fernglasgurt„Sport“

Art. Nr. **50370. ...**
Preis **60,- €**

Erhältlich in den Farbversionen:
- Nachtschwarz .005
- Schokoladenbraun .008
- Signalorange .007
- Olivgrün .006



4 Trinovid 8 x 40







6 Trinovid 8 x 42 HD

7 Trinovid 8 x 20 BCA



5 Trinovid 10 x 32 HD

995,- €

Leica Trinovid HD.

Robust und zuverlässig.

Die Trinovid HD Modelle bestechen durch ihre hohe optische Leistung und sind gleichzeitig extrem robust. Dank der bewährten Leica Optik bieten sie starke Kontraste, eine brillante Farbwiedergabe und eine sehr gute Lichttransmission. Die griffige Gummiarmierung macht sie unvergleichlich widerstandsfähig und bietet perfekten Halt bei allen Wetterbedingungen. Für schnelleren und besseren Überblick in jeder Jagdsituation.

Leica Trinovid Kompakte.

Die Trinovid BCA sind kleine, hochwertige Kompaktferngläser, die technisch gesehen selbst den Vergleich mit vielen größeren Ferngläsern nicht scheuen müssen. Für den Einsatz zum Beispiel auf langen Touren oder auf Reisen.

Leica Ferngläser im Überblick:

Abb.	Produktbezeichnung	Vergrößerung	Objektiv-Ø mm	Austrittspupille Ø mm	Sehfeld auf 1000 m	H x B mm	Gewicht g	Art. Nr.	Preis €
o. Abb.	**Noctivid 8x42, schwarz**	8x	42	5,2	135	154x124	860	**50400.000**	**2.580,-**
o. Abb.	**Noctivid 10x42, schwarz**	10x	42	4,2	112	154x124	860	**50401.000**	**2.680,-**
o. Abb.	**Noctivid 8x42, grün**	8x	42	5,2	135	154x124	860	**50402.000**	**2.580,-**
1	**Noctivid 10x42, grün**	10x	42	4,2	112	154x124	860	**50403.000**	**2.680,-**
o. Abb.	**Ultravid 8 x 32 HD-Plus**	8x	32	4	135	116x116	535	**50389.010**	**2.010,-**
o. Abb.	**Ultravid 10 x 32 HD-Plus**	10x	32	3,2	118	120x116	565	**50390.010**	**2.060,-**
2	**Ultravid 7 x 42 HD-Plus**	7x	42	6	140	141x120	770	**50380.010**	**2.280,-**
o. Abb.	**Ultravid 8 x 42 HD-Plus**	8x	42	5,2	130	142x121	790	**50381.010**	**2.330,-**
o. Abb.	**Ultravid 10 x 42 HD-Plus**	10x	42	4,2	112	147x121	750	**50382.010**	**2.380,-**
o. Abb.	**Ultravid 8 x 50 HD-Plus**	8x	50	6,2	117	182x68	1.000	**50383.011**	**2.540,-**
o. Abb.	**Ultravid 10 x 50 HD-Plus**	10x	50	5	117	178x125	1.000	**50384.011**	**2.590,-**
o. Abb.	**Ultravid 12 x 50 HD-Plus**	12x	50	4,2	100	182x120	1.040	**50385.011**	**2.740,-**
o. Abb.	**Ultravid 8 x 20 BR**	8x	20	2,5	113	93x111	240	**50387.000**	**745,-**
3	**Ultravid 10 x 25 BR**	10x	25	2,5	90	112x111	265	**50388.000**	**775,-**
o. Abb.	**Trinovid 8 x 32 HD**	8x	32	4	124	130x117	630	**50353.003**	**945,-**
5	**Trinovid 10 x 32 HD**	10x	32	3,2	114	130x117	640	**50354.003**	**995,-**
6	**Trinovid 8 x 42 HD**	8x	42	5,25	124	140x117	730	**50355.003**	**1.090,-**
o. Abb.	**Trinovid 10 x 42 HD**	10x	42	4,2	113	140x117	730	**50356.003**	**1.140,-**
7	**Trinovid 8 x 20 BCA**	8x	20	2,5	113	92x96	235	**50350.000**	**500,-**
o. Abb.	**Trinovid 10 x 25 BCA**	10x	25	2,5	90	110x92	255	**50351.000**	**550,-**
o, Abb.	**Trinovid 7 x 35**	7 x	35	5,0	140	132 x 107	590	**auf Anfrage**	**1.500,-**
4	**Trinovid 8 x 40**	8 x	40	5,0	123	146 x 112	640	**auf Anfrage**	**1.600,-**
o. Abb.	**Trinovid 10 x 40**	10x	40	5,0	104	142 x 112	640	**auf Anfrage**	**1.650,-**

unverbindliche Preisempfehlung



Leica Fortis 6 Zielfernrohre.

Zoom 6 in Bestform.

1 Fortis 6 2.5–15 x 56 i (in Anwendung)

Leica Fortis 6 Serie.
Ob Ansitzjagd, Pirsch oder Drückjagd – die Fortis 6 Zielfernrohre sind leistungsstarke und robuste Allrounder. Herausragende Detailerkennung, ein extragroßes Sehfeld und konkurrenzlose Kontraststärke bis zum Rand: Mit ihrer perfekten Kombination aus optischer Performance und puristischem Design setzen die Leica Fortis 6 Modelle neue Maßstäbe in der 6-fach-Zoomklasse.



2 Fortis 6 1–6 x 24 i

Leica Absehen für Fortis 6.



L-4a
.011



3 Fortis 6 2–12 x 50 i

Zubehör für Leica Zielfernrohre.

Neopren-Cover
Art. Nr. **51982 / 84 / 85. ...**
Preis **60,- €**

Die Neopren-Cover bieten optimalen Schutz, da sie sich dank ihrem speziellen Schnitt nahezu vollständig um das Zielfernrohr hüllen. Das Obermaterial aus wind und wetterfestem Neopren ist besonders elastisch und absolut einfach und schnell anzubringen wie abzunehmen. Durch eine pfiffig integrierte, kleine Schlaufe ist ein besonders einfaches Handling selbst mit Handschuhen möglich.


Größen:
S / 24 mm (.000)
M / 42 mm (.001)
L / 50 mm (.002)
XL / 56 mm (.003)

Jeweils erhältlich
in den Farbversionen:
- Nachtschwarz 51982
- Signalorange 51985
- Olivgrün 51984



Flip Caps
Art. Nr. **51988. ...**
Preis **150,- €**

Die innovativen Leica Flip Caps lassen sich leicht auf das Objektiv der Leica Zielfernrohre aufschrauben, um sie schnell und sicher gegen Verschmutzung und Beschädigung zu schützen.





Leica Fortis 6-Modelle im Überblick:

Abb.	Produktbezeichnung	Art. Nr.	Preis €
	Fortis 6 1–6 x 24 i, Absehen 4a		
2	ohne Schiene	**51791. ...**	**1.695,-**
o. Abb.	mit Schiene	**51790. ...**	**1.750,-**
	Fortis 6 2–12 x 50 i, Absehen 4a		
3	ohne Schiene	**51793. ...**	**1.995,-**
o. Abb.	mit Schiene	**51792. ...**	**2.050,-**
o. Abb.	ohne Schiene, mit BDC	**51793. 1..**	**2.245,-**
o. Abb.	mit Schiene, mit BDC	**51792. 1..**	**2.300,-**
	Fortis 6 2.5–15 x 56 i, Absehen 4a		
o. Abb	ohne Schiene	**51795. ...**	**2.245,-**
1	mit Schiene	**51794. ...**	**2.300,-**
o. Abb.	ohne Schiene, mit BDC	**51795. 1..**	**2.495,-**
o. Abb.	mit Schiene, mit BDC	**51794. 1..**	**2.550,-**

Leica Amplus 6 Zielfernrohre.

Verlässlich auf allen Distanzen mit flexiblem 6-fach Zoom.




4 Amplus 6 2.5–15 x 56 i (in Anwendung)

Leica Amplus 6 Serie.
In der Praxis vertrauen Jäger auf die Leica Amplus Zielfernrohre, weil es im entscheidenden Moment auf das Wesentliche ankommt: Die Kombination aus absoluter Verlässlichkeit, Präzision, robuster Mechanik und bewährter Premium-Optik macht sie zu beständigen Werkzeugen in der 6-fach Zoomklasse.



5 Amplus 6 1–6 x 24 i

Leica Absehen für Amplus 6.



L-4a
.xx



6 Amplus 6 2.5–15 x 50 i

Leica Absehenschnellverstellung BDC. Alle Magnus i, Fortis 6 und Amplus 6 Zielfernrohre mit 50 und 56 mm Objektivdurchmesser sind optional mit BDC (Bullet Drop Compensator) erhältlich.

Leica BDC Direct Dial Ring. Individuelle Absehenschnellverstellung für den waidgerechten Schuss auf weite Distanzen. Z. B. EU 6 für: Kaliber .30-06 Spr. oder Brenneke TUG Nature+9,5 gr



Leica PRS 5–30 x 56 i.

Für die optimale Performance beim sportlichen Weitschuss.

Leica Absehen.



L-4a mit
Leuchtpunkt
.xx



L-Ballistik mit
Leuchtabsehen
.xx



L-PRB mit
Leuchtabsehen
.xx

7



Leica Amplus 6-Modelle und PRS-Modell im Überblick:

Abb.	Produktbezeichnung	Art. Nr.	Preis €
5	**Amplus 6 1–6 x 24 i, Absehen 4a**	**51805.011**	**1.300,-**
o. Abb.	**Amplus 6 3–18 x 44 i, Absehen L-Ballistik mit BDC (MOA)**	**auf Anfrage**	**1.600,-**
4	**Amplus 6 2.5–15 x 50 i, Absehen 4a**	**51807.011**	**1.500,-**
o. Abb.	mit BDC	**51807.111**	**1.600,-**
6	**Amplus 6 2.5–15 x 56 i, Absehen 4a**	**51809.011**	**1.600,-**
o. Abb.	mit BDC	**51809.111**	**1.700,-**
7	**PRS 5–30 x 56 i**		
	Absehen 4a	**51758.011**	**2.750,-**
	Absehen L-Ballistik	**51758.012**	**2.750,-**
	Absehen L-PRB	**51758.013**	**2.750,-**



Alle Produkte und technischen Daten finden Sie unter www.leica-sportoptics.com

unverbindliche Preisempfehlung



Leica Magnus i Zielfernrohre.

Unschlagbar bis in die Dämmerung und auf weite Distanzen.

1 Magnus 1.8–12 x 50 i (in Anwendung)

Leica Magnus i Serie.
Lichtstarke und kontrastreiche Bilder sind kein Zufall. Die Magnus i Zielfernrohrlinie bietet für alle Jagdarten die perfekte Lösung. Neben hochwertigsten Materialien und außergewöhnlich robustem Design, steht sie für eine überragende Lichttransmission von 92 %, eine übergroße Austrittspupille für den idealen Einblick, sowie eine herausragende Lichttransmission und überlegene Kontraststärke. Für die ideale Zielerfassung vom ersten bis zum letzten Büchsenlicht.

Leica Absehen für Magnus i.





2 Magnus 1–6.3 x 24 i



3 Magnus 1.5–10 x 42 i



4 Magnus 2.4–16 x 56 i

Leica Tempus ASPH. Rotpunktvisier.


Sicher ansprechen, gut abkommen. Das Rotpunktvisier Tempus ASPH. von Leica bringt Flexibilität und Präzision in die Jagd auf flüchtiges Wild. Leica hat sein Rotpunktvisier mit einer Asphäre realisiert, die für eine noch schärfere und brillante Leuchtpunktabbildung, eine extrem hohe Bildqualität und ein hervorragendes Einblickverhalten sorgt.

- **Art. Nr.:**
  3.5 MOA:
  54360.000
  2.0 MOA:
  54361.000
- **Preis: 595,- Euro**
  unverbindliche Preisempfehlung



Leica Magnus i-Modelle im Überblick:

Abb.	Produktbezeichnung	Art. Nr.	Preis €
	Magnus 1–6.3 x 24 i, Absehen L-4a und L-3D		
o. Abb.	ohne Schiene	**51761.0..**	**2.265,-**
2	mit Schiene	**51760.0..**	**2.345,-**
	Magnus 1.5–10 x 42 i, Absehen L-4a		
3	ohne Schiene	**51767.0..**	**2.420,-**
o. Abb.	mit Schiene	**51766.0..**	**2.505,-**
	Magnus 1.8–12x 50 i, Absehen L-4a		
o. Abb.	ohne Schiene	**51769.0..**	**2.620,-**
1	mit Schiene	**51768.0..**	**2.705,-**
o. Abb.	ohne Schiene, mit BDC	**51769.1..**	**2.890,-**
o. Abb.	mit Schiene, mit BDC	**51768.1..**	**2.970,-**
	Magnus 1.8–12x 50 i, Absehen L-4a **Magnus 2.4–16 x 56 i, Absehen L-4a**		
o. Abb.	ohne Schiene	**51771.0..**	**2.880,-**
o. Abb.	mit Schiene	**51770.0..**	**2.960,-**
o. Abb.	ohne Schiene, mit BDC	**51771.1..**	**3.145,-**
4	mit Schiene, mit BDC	**51770.1..**	**3.230-**



Alle Produkte und technischen Daten finden Sie unter www.leica-sportoptics.com

unverbindliche Preisempfehlung

RUSAN





Very sturdy
RUSAN
Pivot mounts.
€ 299,- each

Model	Ø 30mm, height above receiver 17mm	VM/ZM rail	SR rail
RUSAN SM Haenel Jaeger 10	.000	.000	.000
RUSAN SM Browning. BAR / Maral	.001	.001	.001
RUSAN SM Steyr Mannlicher SM12	.002	.002	.002
RUSAN SM Browning A-Bolt	.003	.003	.003
RUSAN SM Browning X-Bolt	.004	.004	.004
RUSAN SM Remington 700/78	.005	.005	.005
RUSAN SM Sauer 101	**58500** .006	**58506** .006	**58511** .006
RUSAN SM Sauer 202	.007	.007	.007
RUSAN SM Mauser M12	.008	.008	.008
RUSAN SM Winchester 70	.009	.009	.009
RUSAN SM HK SLB2000	.010	.010	.010
RUSAN SM Tikka T3	.011	.011	.011
RUSAN SM CZ 550	.012	.012	.012
RUSAN front ring for pivot mount, 30mm ring, height 17mm	for Haenel	**58500.100**	**€ 219,-**
	for Steyr	**58500.100**	**€ 219,-**



RUSAN
Roll-Off Mount QR

for 11mm or 12mm prism rail (for example, combined arms as HAENEL Jaeger 9, HUBERTUS over-and-under shotgun). This mount is available with 30mm rings in a height of 12mm (T1) and is fixed by means of a quick-release lever (QR = quick release).

58669.000 30mm rings, height 12mm **€ 119,-**

RUSAN
Weaver Mounts "Quick Release"

More and more rifles are standardly equipped with Weaver rails and bases. These mounts are easy to handle, inexpensive, yet still with precision.

RUSAN has a Weaver roll-off mount made of high steel with a quick-release lever. The lever is adjustable, an optimal fit is guaranteed. The mount can be fitted repeatedly with the same accuracy.



	rings	height	
58665.000	30mm	17mm	**€ 129,-**
58665.001	30mm	14mm	**€ 129,-**
58668.000	30mm	12mm	**€ 129,-**
58666.001	1"	14mm	**€ 129,-**



RUSAN
Adapter bases for LEICA Tempus

for 13-15 mm prism rail:
58513.000 with thumb screw **€ 88,-**
58513.001 with quick release **€ 95,-**

for Weaver rail:
58514.000 with thumb screw **€ 88,-**
58514.001 with quick release **€ 95,-**

RUSAN
Adaptor ring
suitable for LAHOUX clip-on devices



A fast and easy to use quick-release adaptor for mounting a night vision device to a primary optic.
To make sure the primary optic is not damaged or scratched, the inside of the adapter has a special layer. Comes with thread M52x0,75.
The adaptors are available with a diameter of 30 mm - 65 mm. To determine the correct size the outer diameter of the primary optic is leading.

	suitable for Lahoux devices	
50732.030	Ø 30mm	**€ 169,-**
50732.048	Ø 48mm	**€ 169,-**
50732.050	Ø 50mm	**€ 169,-**
50732.052	Ø 52mm	**€ 169,-**
50732.056	Ø 56mm	**€ 169,-**
50732.057	Ø 57mm	**€ 169,-**
50732.058	Ø 58mm	**€ 169,-**
50732.062	Ø 62mm	**€ 169,-**
50732.063	Ø 63mm	**€ 169,-**
50732.064	Ø 64mm	**€ 169,-**
50732.065	Ø 65mm	**€ 169,-**
50736. ...	Reducing ring for adaptor Ø 48mm - 65mm	**€ 23,90**



RUSAN
Mounts for LEICA Tempus

58515.000 for Haenel Jaeger10 **€ 219,-**
58515.001 for Browning BAR / Maral **€ 219,-**
58515.002 for Steyr SM 12 **€ 219,-**

Recommended retail price.





SPECTRA™ 5x 3-15x56i

New



SPECTRA™ 4x 4-16x50i



SPECTRA™ 4x 2,5-10x44i



SPECTRA™ 6x 2-12x50i



SPECTRA™ 6x 1,5-9x32i



SPECTRA™ 6x 1-6x24i

SPECTRA™ 4x

Slim design, short length and low weight

Thanks to their 30 mm center tube diameter, the 4x zoom riflescopes impress with their slim design, short length and low weight. The outstanding optical quality is highlighted by wide fields of view and high light transmission values. Large lens diameters provide reserves of light until deep into the twilight. Unique in this class are the illuminated 4xi models featuring iControl™ illumination with automatic shut-off.

SPECTRA™ 5x

Take your shooting experience to a higher level

Aimed to take your shooting experiences to a higher level, the SPECTRA™ 5x riflescope models offer precise, reliable and high-quality performance for diverse hunting scenarios. 30 mm main tubes, GPObright™ lens coatings and iControl™ illumination technology are just some of the features you will find in these models. Packed full of performance to help you enjoy your passion.


SPECTRA™ 6x

Reliable and high-quality performance for diverse hunting scenarios

The SPECTRA™ 6x riflescope models are precise, high quality and reliable, making them real all-rounders. To name just a few features of the range: 30 mm center tube, GPObright™ lens coatings, zeroing without tools and iControl™ illumination technology.

All GPO scopes come with:
instruction manual, cleaning cloth, bikini scope cover, battery CR2032

Additional with throw lever:
51005016 / 51017015 / 51027010 / 51035015 / 51037015 / 51039015



G4i | G4i DROP | BRi | HSi (FFP)

Stock N°	Model	Reticle	Exit pupil Ø mm	Field of view 100 m	Transmission	Center tube Ø	Length [mm]	Weight [g]
51005.016	GPO SPECTRA 4x 2,5-10x44i	G4i DROP	12,3-4,4	16,2-4,1	87%	30	340	640
51008.015	GPO SPECTRA 4x 4-16x50i	G4i	9,5-3,1	10,4-2,6	90%	30	369	629
51008.016	GPO SPECTRA 4x 4-16x50i	G4i DROP	9,5-3,1	10,4-2,6	90%	30	369	629
51017.015	GPO SPECTRA 5x 3-15x56i	G4i	9,5-3,7	11,1-2,3	90%	30	360	830
51021.015	GPO SPECTRA 6x 1-6x24i	G4i	9,5-4	42-7	90%	30	282	459
51023.015	GPO SPECTRA 6x 1,5-9x32i	G4i	9,5-3,5	28-4,6	90%	30	336	496
51024.016	GPO SPECTRA 6x 1,5-9x44i	G4i DROP	9,5-4,9	28-4,6	90%	30	336	575
51025.015	GPO SPECTRA 6x 2-12x50i	G4i	9,5-4,2	21-3,5	90%	30	336	593
51027.010	GPO SPECTRA 6x 3-18x56i	BRi	9,5-3,1	11,1-1,9	90%	30	360	830

Only available in Germany and Austria.



New

SPECTRA™ 8x 1-8x24i

SPECTRA™ 8x

For the most demanding user

A special line intended for the most demanding of users. The expansive 8x zoom span combined with top-quality materials and meticulous attention to detail in the manufacturing process results in the perfect riflescope for driven and big game hunting, also during the harshest lighting conditions.

In addition, the riflescope has an illuminated reticle. The illumination control is continuously adjustable and can be adapted to all possible lighting conditions. Further features: tool-free zeroing, and a throw lever. Thus you are equipped for all situations.

GPOTAC™

Tactical riflescopes with high-demand features

This line of tactical riflescopes packs incredible high-demand features into every item. Massive mil-rad turrets, mil-spec horseshoe reticles, iControl™ illumination with auto-off functionality and stunning optical performance will shake shooters to their core.

Built with 30 mm and 34 mm main tubes, these riflescopes allow for an optimal range of adjustment. Feature for feature, spec for spec, you will find no better optic for your demanding needs.



SPECTRA™ 8x 2,5-20x50i



GPOTAC™ 6x 1-6x24i



GPOTAC™ 8x 1-8x24i

Stock N°	Model	Reticle	Exit pupil Ø mm	Field of view 100 m	Transmission	Center tube Ø	Length [mm]	Weight [g]
51035.015	GPO SPECTRA 8x 1-8x24i	G4i	9,0-3,0	40,4-4,8	87%	30	248	504
51037.015	GPO SPECTRA 8x 2-16x44i	G4i	9,0-2,75	19,4-2,4	87%	30	313	677
51039.015	GPO SPECTRA 8x 2,5-20x50i	G4i	9,0-2,5	15,5-1,9	87%	30	357	718
51050.019	GPO TAC 1-6x24i	HSi (FFP)	12-4	38-6,3	90%	30	270	560
51051.019	GPO TAC 1-8x24i	HSi (FFP)	11,7-3	35-4,4	90%	34	273	770
54375.000	GPO SPECTRA Dot 1x22	Red Dot				64,5 x 45,3 x 36 mm		103



New



- GPObright™ objective coating
- IPX 7 sealing
- Weaver- and Picatinny rail
- MOA travel value: 1/2 MOA = 1 click
- Red dot Ø: 3 MOA
- Illumination control: 6 day, 5 night settings
- Battery runtime: up to 50.000 hours
- Battery: CR 2032

SPECTRA™ Dot 1x20

Meets all your shooting needs

In the development of the SPECTRA™ Dot GPO implemented all relevant features like day and night settings, high efficiency power management with a battery runtime up to 50,000 hours, weaver and picatinny mount, and IPX 7 sealing. The compact and light-weight design makes the SPECTRA Dot your perfect choice for all fast acquisition targeting and fits on most rifles. It is equipped with wind-age and elevation tactile click adjustment. The red dot brightness also enables the use of the GPO SPECTRA Dot in bright light conditions.

Comes with: Instruction manual, cleaning cloth, hexagon socket spanner, objective and ocular caps, low profile picatinny/ weaver mount.

Only available in Germany and Austria.

AKAH Red Dot Sights



AKAH Vari-Point 1x30

Red dot sight with variable dot-size (3, 5, 10,15 MOA), 11 mode brightness control, extra wide field of view.
Length: 133 mm, weight: 160 g.
Includes 30 mm weaver type rings and a 3 Volt lithium battery (CR2032).

54275 **€ 79,-**

HUBERTUS®

made for AKAH

HUBERTUS rifle scopes

Internationally proven quality.

- fully coated lenses for sharp details and clear images
- precise height / side click adjustments
- centred reticle
- waterproof
- semi-gloss finish
- light metal housing without mounting rail.

HUBERTUS 3-9x40



HUBERTUS 4x32



Slide-on Mount

Two- piece mount for 11mm rail,
25,4 mm diameter, height 14 mm

59326.140 **€ 17,-**

HUBERTUS 4x32 Silver



WEIHRAUCH

WEIHRAUCH P 2x20



Stock N°	Model	Reticle	Twilight factor	Exit Pupil mm	Field of view at 100m	Length mm	Weight g	Price €
51131.230	4 x 32 silver	1	11,3	8,0	10	300	260	**49,50**
51131.030	4 x 32	.30-30	11,3	8,0	10	300	260	**49,50**
51132.030	3-9 x 40	.30-30	11-19	13,3-4,4	14-4.5	310	350	**59,90**
51105.030	Weihrauch P 2x20	especially for air pistols, with 2 piece HW mount						**98,00**
51110.030	Weihrauch 4x32-P	for air rifles, with parallax adjustment, with 2 piece HW mount						**147,00**
51112.030	Weihrauch 3-9x40-P	for air rifles, with parallax adjustment, with 2 piece HW mount						**186,70**

AKAH Spotting scopes

These good valued compact spotting scopes are made by one of the biggest manufacturer of optical devices and feature high-quality optics and mechanics. These spotting scopes have 1/4 "connecting thread and are supplied in a padded soft bag.

Compact spotting scopes for target shooting or nature & bird watching. 45° angle eyepiece and look through. Steplessly variable magnification settings, which differ to the different models. Black scope body housing of impact-resistant plastic, sun shade, bipod adjustment device

50941 **18-54x60** **€ 179,-**
50942 **22-66x80** **€ 299,-**



recommended retail prices


AKAH Scopes with illuminated reticle

The premium line of our scopes, quality optics at reasonable prices. High class optical quality for increased brightness, clarity and contrast. AKAH rifle scopes feature a 30 mm aluminium tube, together with a hard anodized finish and Nitrogen-filling.

These scopes are the best companions for hunters and shooters. The German (4A) plex-reticle and the red dot are positioned in the 2nd. focal plane. The scope features an 11 position brightness control. Perfect adjustment for various hunting situations.

Highly accurate ¼ MOA adjustment turrets. Fully multi-coated lenses and multi-broadband coating to give maximum light transmission.

Eye Relief approx. 95 mm. Battery CR2032.



AKAH 1,5-6x42 LA
€ 279,-

AKAH 1-6x24 LA

The driven hunt riflescope with 6x zoom factor!

Field of view: 5.8 m / 35 m. Overall length: 273 mm. Weight: 561 g, eye relief: approx. 10 mm, illuminated reticle: 4A.

51145.700 € 379,-

AKAH 1,5-6x42 LA

Compact configuration for various hunting conditions

51142.700 € 279,-

AKAH 2,5-10x50 LA

Popular scope with 50mm objective, compact and elegant

51143.700 € 299,-

AKAH 3-12x56 LA

The quality optics and large 56 mm objective lens offer super performance in low light hunting conditions.

51141.70 € 349,-

AKAH 10-40x56 LA

for target shooters

- Long range scope
- target elevation knobs
- side-range focus
- mil-dot illuminated reticle (11 positions)
- red/green

51136.700 € 349,-



AKAH 2,5-10x50 LA
€ 299,-

AKAH 1-6x24 LA
€ 379,-

AKAH 10-40x56 LA
€ 349,-

AKAH 3-12x56 LA
€ 349,-

AKAH Exklusiv

Stock N°	Model	Reticle	Twilight factor	Exit Pupil mm	Field of view at 100m	Length mm	Weight g	Price €
51145.700	1-6x24 LA	4 LA		24-4	5.8 /35	273	561	**379,00**
51142.700	1.5-6x42 LA	4 LA	7.9-15.8	26-6	21-5.2	326	595	**279,00**
51143.700	2.5-10x50 LA	4 LA	11.1-22.3	15-4,8	12.2-3.5	336	600	**299,00**
51141.700	3-12 x 56 LA	4 LA	11.8-23.6	18,6-4,6	11.3-2.8	344	695	**349,00**
51136.700	10-40 x 56 LA	Mil-Dot LA	23.66-47.32	5,6-1,4	12-3.2	420	930	**349,00**



AKAH LEATHER Quiver

Best **cow leather**, perfect fitting of lid and bottom by hand. Made by AKAH saddlers. Adjustable, detachable strap, protected optics. Economical model partial machine-sewn.

67065. ... from € 70,95

LODEN & MOOSE Rifle Scope Bag

Loden impregnated with Teflon. Original PISCHL loden impregnated with TEFLON from Austria and Finnish moose leather. Each bag is thick padded to protect the scope. Extra long, durable zipper.

67065.009 € 82,-



recommended retail prices





SIGHTMARK® Latitude 8-32x60
Long-Range Scope

features oversized adjustments turrets for quick and easy grab/adjust, a zero-stop elevation dial to prevent going below the original zero, a lock ring to keep the eyepiece in focus and a 34 mm tube, providing increased adjusted range. F-Class features 1/8-MOA windage and elevation adjustments up to 110E and 70W. The illuminated reticle is designed specifically to obstruct as little of the target face as possible. Delivered with a sunshade.

54310 **€ 1.150,-**

SIGHTMARK®
Tactical Cantilever Mount

The cantilever mounts are a great alternative to regular riflescope rings, with a primary use for ARs. The mounts are constructed out of 6061-T6 aircraft-grade aluminium for a durable body while designed to fit any Picatinny rail. All cantilever mounts feature a matte black, non-reflective finish to reduce glare while using your scope.

54315.001 with 20 MOA / 34 mm **€ 140,-**

54315.002 34mm **€ 140,-**



SIGHTMARK®
Flip-to-side mount T-3 LQD

Designed to mount directly behind a reflex sight or red dot, the versatile T-3 Magnifier allows a quick and easy way to magnify your sight picture by 3x and provides an absolute co-witness. Ideal for engagements up to 100 yards. Weight: approx. 310 g / 10.6 oz.

54285 **€ 169,-**



SIGHTMARK® Ultra Shot A-Spec

Advanced optic performance: repeatable accuracy, ultra fast target acquisition, long battery life. 10 brightness settings, parallax correction (beyond 10 yards) and unlimited eye relief deliver a crisp, robust field of view. Lens: 33x24 mm. Weight: 306 g / 10.8 oz. Battery CR123A.

54277 **€ 239,-**



SIGHTMARK® Mini Shot M-Spec

Built for law enforcement officers and professionals, the compact Mini Shot M-Spec Reflex Sight is the perfect optic for competition shooting, hunting and LE applications on shotguns, pistols and AR's. The kit includes a low profile mount for shotguns and pistols along with a riser mount for AR platform rifles. 100% waterproof, durable aluminium housing with a steel protective shield. Extremely low power consumption, CR1632 battery. 3 MOA red dot reticle. 10 brightness levels. Ambidextrous digital switch.
Lens: 1x15 mm, weight: approx. 65 g / 2.3 oz.

54291 **€ 315,-**

SIGHTMARK® Laser boresight

Sightmark offers the largest selection of in-chamber boresights on the market. Each boresight is constructed with high quality brass and are calibrated with three set screws in a roller to centre the laser diode to the housing. The roller ensures fine adjustments can be made so the boresight is truly centred. This ensures the boresight will accurately project a firearm's theoretical point of impact, no matter what.

Cal. 12 **54333.000** **each € 49,90**
Cal. 20 **54334.000**
Rifle, pistol and revolver caliber **54337. ...**



SIGHTMARK® Ultra Shot R-Spec

With a crisp, robust field of view and uncompromising reliability. Ultra fast target acquisition. Long battery life. 10 brightness settings, parallax correction (beyond 25 yards) and unlimited eye relief. Lens: 33x24 mm.
Weight: 303 g / 10.7 oz. Battery: CR123A

54276 **€ 175,-**



SIGHTMARK® Ultra Shot M-Spec LQD

Specially developed for tough applications: shockproof, dustproof, IP68 waterproof, recoil rated up to .50 BMG. Illuminated red 65-MOA circle-dot reticle with 10 brightness settings.
Lens: 33x24 mm. Weight approx. 289 g / 10.2 oz.
Battery: CR 123A

54278 **€ 389,-**

Stock N°	Caliber
54337.001	.223Rem
54337.002	243Win, .260Rem, 7mm-08, .308Win, .358Win
54337.003	.30-06Spring, .270Win, .25-06Win
54337.004	8x57IS
54337.005	7,62x54
54337.006	7x64
54337.007	7x65R
54337.008	9,3x62
54337.009	.300WM
54337.010	Kal. 8x57IRS
54337.015	9mmLuger
54337.016	.45ACP
54337.017	.38/.357
54337.018	.44Mag
54337.019	40S&W



recommended retail prices

Lahoux Optics

Night Vision

Hunting - a centuries old tradition that combines passion and respect for nature. The hunter wants and must be able to rely on his technology 100%. Night vision and thermal imaging technology is an important component in making hunting even safer and more successful.

Night vision devices from Lahoux offer more safety and success in responsible hunting due to a photo-realistic image.



LAHOUX LV-81

Lahoux LV-81

Due to the long focal length of 80 mm, this device is particularly suitable for observation at longer distances. The objective lens with its special AR coating ensures high transmission values and an incomparably sharpness. The lens system and the built-in image intensifier tube harmonize optimally in terms of image quality and precision. All components have been designed and assembled to ensure the best possible shock resistance.

- Bright 80 mm objective
- Long battery endurance, up to 85 hours
- Accuracy < 29 mm at 100 m
- Field of view: 13,89 m at 100 m



Rheinisch-Westfälischer JÄGER
Test 10/2020
Bright, low-noise image, high edge-to-edge sharpness, rich in detail.

Lahoux Hemera

The new Lahoux Hemera's spear points are its compact size and large field of view while maintaining many LV-81 characteristics. This makes this clip-on an All-rounder especially suited for forest use at short and middle distances and stalking. The High-Contrast Lenses and the intensifier tube are mounted individually and shockproof. The Lahoux Hemera features an auto-shutdown after one hour.

- Compact housing
- Long battery endurance, up to 30 hours
- Accuracy: < 29 mm at 100 m
- Field of view: 35,70 m at 100 m

Features of LV-81 and Hemera

- Observation & clip-on device
- 100% Made in Netherlands
- Intuitive one-hand operation
- Very high edge-to-edge sharpness
- Shock-proof and precisely built components
- Auto shut-down after one hour
- Incl. two mounting rails
- Auto-gating and manual gain control for Echo/ Echo HF tubes



LAHOUX Hemera

Made in the Netherlands

Technical Data	LAHOUX LV-81			LAHOUX Hemera		
	LV-81 Standard	LV-81 Echo	LV-81 Echo HF	Hemera Standard	Hemera Echo	Hemera Echo HF
Photonis tube	GEN 2+	ECHO	ECHO HF	GEN 2+	ECHO	ECHO HF
FOM	> 1.000	1700-1800	1800-1900	> 1.000	1700-1800	1800-1900
Magnification	1,0 x			1,0 x		
Field of view	7,94°			18,2°		
Resolution	62-72 lp/mm			62-72 lp/mm		
S/N value	22-29			22-29		
Precision	< 1 MOA			< 1 MOA		
Lens, relative aperture	F/1.55, 80 mm			F/1.40, 50 mm		
Focus range	10 m until infinity			10 m until infinity		
Ocular	34 mm			29 mm		
Dimensions	213 x 78 x 64mm			166 x 70 x 61 mm		
Weight without batteries	710 g			580 g		
Battery runtime	up to 85 hours			up to 30 hours		
Temperature range	-40 °C to 50 °C			-40 °C to 50 °C		
Scope of delivery	Carrying bag, quick start guide, lens cloth, lens cap, 1 x CR-123 battery, Photonis data sheet			Carrying bag, quick start guide, lens cloth, lens cap, thread adapter, 1 x CR-123 battery, Photonis data sheet		
Stock N°	**50701.000**	**50702.000**	**50703.000**	**50713.000**	**50712.000**	**50714.000**
Price	**€ 3.549,-**	**€ 4.500,-**	**€ 5.500,-**	**€ 3.295,-**	**€ 4.500,-**	**€ 5.500,-**

Selected tubes are available for an extra charge of 5-10%.

Please check your local laws regarding the use of night vision during hunting.

recommended retail prices



Lahoux Optics

Thermal Imaging

New





Lahoux Spotter

The NightViewer model range comprises of several small and compact thermal cameras for several types of use. Especially developed for simple and fast use multi-colour display for an improved image: black-hot, white-hot, red-hot, colour. Some models also offer the option to transfer images or video, through an app and WIFI, real time to a smart phone.

- Intuitive one-hand control
- Lightweight and compact housing
- User-friendly interface
- Sensitivity (NETD) < 50 mK
- Wide operating temperature range
- High frame rate of 50 Hz
- Up to 4x digital magnification
- Integrated rechargeable lithium-ion battery with up to 4 h power in continuous operation
- Water-proof (acc. to IP66)
- Can be used by day and night
- NightViewer 35 / Elite 35 / Elite 50: their sensor with 12 µm has a detection range that is 1.4 times larger than 17 µm.

New


















Fig.: Calculated according to the Johnson Criteria for a man sized target with a critical dimension of 1,8 x 0,5 meter. Detection (D), Recognition (R) and Identification (I) are defined for an image of respectively 1.5, 6 and 12 pixels on the image sensor.

Technical Data	Spotter Mini	Spotter Pro V	Spotter 25	Spotter 25 LRF	Spotter 35	Spotter Elite 50V
Resolution	256x192 px	384x288 px	384x288 px		384x288 px	640x512 px
Pixel size	12 µm	17 µm	12 µm		12 µm	
Frame Rate	50 Hz		50 Hz		50 Hz	
Sensitivity (NETD)	<50 mK		<50 mK		<50 mK	
Lens	13 mm	19 mm	25 mm	25 mm	35 mm	50 mm
Magnification	1x, 2x	1x, 2x, 4x	1x, 2x, 4x	1-4x in ½x steps	1x, 2x, 4x	
Image transmission	-	-	WiFi	WiFi	PAL + WiFi	PAL + WiFi
Dimensions	160x62x62 mm	160x62x62 mm	181x65x64 mm	130x70x52 mm	188x65x64 mm	202x65x64 mm
Weight	320 g	400 g	450 g	320 g	450 g	520 g
Battery runtime	20 h cont. operation	12 h cont. operation	3 h cont. operation	6 h cont. operation	3,5 h continuous operation	
Temperature range	-20 °C bis 50 °C		-20 °C bis 50 °C		-20 °C bis 50 °C	
Scope of delivery	pouch, quick-guide, USB cable with power adaptor, video cable					
Stock N°	**50716.000**	**50719.000**	**50728.500**	**50717.000**	**50729.500**	**50724.500**
Price	**€ 699,-**	**€ 1.319,-**	**€ 1.789,-**	**€ 2.579,-**	**€ 2.110,-**	**€ 3.059,-**

Recommended retail price.

Lahoux Optics

Thermal Imaging



Made in the Netherlands



New



Lahoux Horus

The Lahoux Horus is a multifunctional thermal imaging camera of the latest generation. It is defined by:

- Efficient power consumption - extremely efficient power supply - more than 10 hours of uninterrupted operation possible.
- 12micron technology installed.
- Momentary Zoom - the device is therefore always ready for use in attachment mode, and digital magnification can be used at lightning speed if required.
- Easy handling - simple operation of the device possible due to optimised key assignment.
- High Zoom Option - by using the latest system components, magnification with primary optics up to 10x is possible.
- DRI value: 2108 / 527 / 264 m

New



Lahoux Digiclip / DigiClip Pro


Thanks to the high-contrast glass and the high-resolution Sony HD-CMOS sensor, the Lahoux DigiClips outshine comparable cameras with their outstanding image quality. The metal housing (IPX6 protection class) makes them robust and durable. These attachments have 100% repositioning repeatability and high shock resistance. They are compact and have an ergonomic design that facilitates handling. The easy-to-reach focus knob and fine grid ensure easy focusing.

- Great target detection and identification distance ranges during night and twilight;
- Time-proven reliability and durability combined with ease of operation with no any complicated programmable Menu
- 1280x720 HD sensor with 1280x960 HD OLED display
- Great recoil resistance with heavy calibers such as 12 cal., 9.3x64, .375H&H
- Great repeatability which is not more than 0.3 MOA when taken OFF and ON weapon, and again;
- Can be used during daytime
- Supports USB power banks, PB-1 and PB-2R
- **LAHOUX DigiClip:** with 36mm objective, detection range (wild boar): 400m
- **LAHOUX DigiClip Pro:** with 54mm objective, detection range (wild boar): 500m
  The sensor harmonises excellently with all current IR illuminators available on the market. There is no cross-fading.

Technical Data	LAHOUX Horus	LAHOUX Horus Elite	LAHOUX DigiClip	LAHOUX DigiClip Pro
Resolution / Monitor	320 x 256 px / OLED		1280x960 px / HD-OLED	1280x960 px / HD-OLED
Pixel size	12 µm	12 µm		
Frame rate	50 Hz	50 Hz	50 Hz	50 Hz
Sensitivity (NETD)	<40 mK	<60 mK	<50 mK	<50 mK
Objektiv	40 mm Ophir Germanium		36 mm, F/1.4	54 mm, F/1.5
Relative aperture	10m - ∞	10m - ∞	6m - ∞	6m - ∞
FOV (Field of view)	5.5° x 4.4°	5.5° x 4.4°	9° x 12°	7° x 11°
Magnification	1x, 3x	1x, 3x	1x, 4x	1x, 2,5x
Dimensions	148×70×74 mm	148×70×74 mm	128x60x70 mm	167x75x55 mm
Weight	450 g	450 g	480 g	560 g
Battery runtime	12 h continuous operation		4 h continuous operation	
Temperature range	-20 °C to 40 °C	-20 °C to 40 °C	-20 °C bis 50 °C	-20 °C bis 50 °C
Scope of delivery	pouch, chargers + USB cable, 18650 Li ion battery, lens tissue, adaptor ring, manual		pouch, 18650 Li ion battery, charger, removable ocular, manual	
Stock N°	**50742.000**	**50743.000**	**50741.000**	**50741.100**
Price	**€ 4.995,-**	**€ 6.495,-**	**€ 1.645,-**	**€ 1.795,-**

Please check your local laws regarding the use of night vision during hunting.

recommended retail prices



Lahoux Optics
Thermal Imaging

Lahoux Clip

The Lahoux Clip is one of the most affordable and reliable thermal imaging attachments in the entry-level class in terms of all its features. In combination with the separate battery extension, a battery runtime of up to 6 h (Clip 32) or 10 h (Clip 42) is possible.

- Small, compact, lightweight and durable design
- easy to use, no re-zeroing required
- excellent imaging
- Several scene modes to high-light the target effectively
- Build-in Bluetooth, compass, motion sensor
- Video output: PAL or NTSC
- OLED display, capable of displaying images in various colour modes
- Detection range above 1.5 km
- Power supply: 2x CR123
- Encapsulation IP67

Technical Data	LAHOUX Clip 35	LAHOUX Clip 42
Resolution / Monitor	400 x 300 px / OLED	384 x 288 px / OLED
Pixel size	17 µm	17 µm
Frame rate	50 Hz	50 Hz
Sensitivity (NETD)	<50 mK	<50 mK
Objektive	35 mm	42 mm
Relative aperture	F/1.2	F/1.2
FOV (Field of view)	10.66° x 8.0°	8.9° x 6.7°
Magnification	1x, 2x, 4x	1x, 2x, 4x
Dimensions	150×52×57 mm	154x61x58 mm
Weight	400 g	420 g
Battery runtime	3 h cont. operation	4 h cont. operation
Temperature range	-30 °C to 50 °C	-30 °C to 50 °C
Scope of delivery	bag, guide, adaptor ring, lens cloth, lens cap, 2x CR123	
Stock N°	**50740.000**	**50740.100**
Price	**€ 2.695,-**	**€ 2.795,-**















AMR
Thermal Vision Target Pads

Optimal for calibration of guns with thermal scope

With the AMR Thermal Vision Target Pads the calibration of thermal imag-ing devices mounted to firearm optics is now possible in a particularly efficient and cost-effective way.

The activation of the heat pad starts when exposed to air. The specific combination of the ingredients contained in the heat pads (especially activated carbon) ensures their automatic heating. The pad reaches its optimum calibration temperature of 38°C within a few minutes. Then target the heat pad with the thermal imaging device mounted to the optics of your rifle and optimise the thermal view. The round shape and small diameter of the pad allow spotting of unwanted shot deviations.

38960.000 box with 10 target pads **€ 9,99**

Please check your local laws regarding the use of night vision during hunting.

recommended retail prices

Lahoux Optics

Accessories



Lahoux Helios

IR illuminator

suitable for nightvision devices as LV-81 and Hemera

The Lahoux Helios IR illuminator works on LED basis. It supports the night vision device with very little residual light. Similar to a torch, the observation sector is illuminated and thus provides a brighter and sharper image. This light is invisible to the human eye because it works at a wavelength of 855 nm. The spotlight is infinitely dimmable and focusable.
Delivery incl. mount.

		effective illumination range	
50730.000	Helios Standard 855 nm	< 500 m	**€ 580,-**
50731.000	Helios Pro 855 nm	< 1.000 m	**€ 729,-**
50731.100	Helios 945 nm	< 200 m	**€ 759,-**

AKAH Protection Case

For thermal imaging devices like LAHOUX Spotter

Green neoprene protection case for thermal imaging cameras. Can be worn on a belt. Two stable loops for attaching a carrying strap (not included / e.g. item N° 50370.004 or item N° 50812.000).
Suitable for thermal imaging devices, e.g. LAHOUX Spotter M.

Length: 210 mm; Diameter: 70 mm

67061 **€ 29,95**



Lahoux

Magnification monocular + Insertion ring

suitable for clip-on devices as LV-81, Hemera, Horus or Clip

The observation monocular is simply screwed onto the thread of the eyepiece and transforms the device into a hand-held observation device.

With the aid of the insertion ring (available in different sizes), the magnification monocular can also be used in conjunction with the clamping adaptor ring.

50735 Magnification monocular **€ 128,-**
50736 Insertion ring **€ 23,90**

New



Transport Bag

For thermal imaging devices like LAHOUX Spotter

Lined and waterproof 600D nylon bag ideally protects the thermal imager from shocks and external impacts. Can be carried using a wrist strap or shoulder strap, or attached to a belt.

Suitable for thermal imaging devices, e.g. LAHOUX Spotter 25, Spotter 35 or Spotter Elite 50V

Length: 215 mm; Diameter: 95 mm (inside: 200x70 mm)

63710 **€ 29,-**



Rusan Adaptor ring

suitable for clip-on devices as LV-81, Hemera, Horus or Clip

A fast and easy to use quick-release adaptor for mounting a night vision device to a primary optic. To make sure the primary optic is not damaged or scratched, the inside of the adapter has a special layer. Comes with thread M52x0,75. The adaptors are available with a diameter of 30 mm - 65 mm. To determine the correct size the outer diameter of the primary optic is leading.

50732 **€ 169,-**

New



Lahoux Carrying Strap

suitable for LAHOUX Spotter thermal imaging devices.

50734 **€ 24,95**

Lahoux Battery

Replacement battery suitable for LAHOUX Horus. Type 18650, 3.500mAh

50737 **€ 26,50**

New



Lahoux Battery Extender

With this practical complete set consisting of battery extender, 2 pcs. 16650 batteries as well as a charger with two charging bays, you can extend the runtime of your thermal imager LAHOUX CLIP.

		battery runtime	
50760	for Clip 42	up to 10 h	**€ 59,99**
50761	for Clip 35	up to 6 h	**€ 139,-**

New



recommended retail prices

Leica Calonox.

Wärmebildkameras für die zeitgemäße und waidgerechte Jagd.





1 Calonox Sight

2 Calonox View

Produkt	Calonox Sight	Calonox View
Art. Nr.	**50780.000**	**50781.000**
Brennweite	42 mm	42 mm
Vergrößerung	1 x	2.5 (Digital 1 x, 2 x, 3 x, 4 x
Detektor	384 x 288	640 x 512
Detektor Typ	VOx	VOx
Pixelgröße	17µm	12µm
Display	OLED – 1024 x 768	LCOS – 1280 x 960
Bildfrequenz	50 HZ	50 HZ
Maße in mm (L x B x H)	165 x 65 x 65	170 x 65 x 65
Gewicht	685	665 g
Preis €	**3.950,-**	**4.450,-**

unverbindliche Preisempfehlung

Leica Calonox View.
Mehr sehen, sicher ansprechen.
Für alle, die Wild auf weite Distanzen finden und sicher ansprechen wollen, ist die Leica Calonox Wärmebildkamera View perfekt. Die Leica eigene Bildverarbeitung (Leica Image Optimization – LIO™) optimiert das Bild und erzielt besonders detailreiche Farbabstufungen, hervorragenden Kontrast und hohe Detailauflösung. Das Calonox View bietet 12 µm Pixelgröße bei hervorragender Temperaturauflösung. Das 42 mm Objektiv in Kombination mit der 2,5-fachen optischen Basisvergrößerung ermöglicht ein großes Sehfeld und besten Überblick. Mittels Digitalzoom bleiben auch auf großen Distanzen keine Details verborgen.


Vier Farbmodi für kontrastreiche Detailerkennung.
Die praxiserprobten Farbmodi White Hot, Black Hot, Red Hot und Rainbow sorgen für praxisnahe Darstellungsvarianten und eine größere, kontrastreiche Detailerkennung.

Leica Calonox Sight.
Sicher erkennen, waidgerecht erlegen.
Wenn es darum geht, Wild in tiefster Nacht sicher anzusprechen und waidgerecht zu erlegen, ist das Leica Calonox Wärmebildvorsatzgerät Sight die erste Wahl des modernen Jägers. Selbst auf Entfernungen bis zu 2.000 Meter erkennt es Wärmequellen und die 17 µm Pixelgröße liefert kontrastreiche, detailreiche Bilder in den vier Farbmodi.

Maximale Präzision und Wiederholgenauigkeit.
Das Leica Calonox Sight zeichnet sich durch eine wiederholgenaue Treffpunktlage aus. Es kann dabei ganz einfach mit einem zum jeweiligen Zielfernrohr passenden Adapter verbunden werden. Das erstmalige Einschießen ist leicht und kann auf dem Schießstand selber ausgeführt werden.

Leica Calonox Apps.
Einfach, schnell und unkompliziert unterstützen die beiden Calonox Apps bei der Bedienung der Thermalkameras: Das Leica Calonox View kann von allen Beobachtungen Fotos oder Videos speichern und diese per WLAN auf das Smartphone übertragen. Als Unterstützung beim Einschießen lässt sich das Leica Calonox Sight über Bluetooth mit dem Handy verbinden und in der App per Remote Control steuern.







Please check your local laws regarding the use of night vision during hunting.

recommended retail prices

Leica APO-Televid Spektiv.

Leistungsstark und kontrastreich.



25 x Vergrößerung



50 x Vergrößerung



1 APO-Televid 82 Winkeleinblick (45°)

Leica Hochleistungsspektiv.
Das Leica APO-Televid Spektiv mit seinem apochromatischen Objektiv nutzt moderne Fluoridglassorten für eine perfekte Abbildungsleistung. Dazu ist die innere Optik durch ein zusätzliches Frontlinsenglas geschützt. Das äußerst lichtstarke Objektiv mit einem Durchmesser von 82 mm liefert extrem detailreiche Bilder. So ist eine erstaunlich genaue Beobachtung selbst bei schwierigsten Lichtbedingungen möglich. Darüber hinaus ist das APO-Televid 82 W prädestiniert für die professionelle Digiskopie.
Im Premium-Segment bietet Leica perfekt aufeinander abgestimmte Komponenten für eine Digiscoping-Einheit von höchster Qualität. Die passenden Digiscoping Adapter sind optimal auf das Leica APO-Televid und die Leica Kameras abgestimmt. Ihre hochwertige Verarbeitung aus leichten, stabilen Materialien sorgt für eine präzise und sichere Verbindung, ohne das System zusätzlich zu beschweren.

Abb.	Produkt-bezeichnung	Objektiv-Ø	Objektiv-brennweite	Nah-bereich	Gewicht (ohne Okular)	Art. Nr.	Preis €
1	**APO-Televid 82 Winkeleinblick 45°**	82 mm	ca. 440 mm	ca. 3,8 m	ca. 1.469 g	**50971.001**	**2.680,-**

Zubehör für Leica APO-Spektiv:

50968.000	Leica Okular 25-50 x WW ASPH. für APO-Televid 82 W	**€ 850,-**
50969.013	Leica Extender 1.8 x für APO-Televid 82 W mit Okular	**€ 365-**
*	Leica Digiscoping-Objektiv 35 mm für APO-Televid 82 W mit Okular und Extender	**€ 505,-**
*	T2 Adapter für Leica M für Leica SL/CL/TL	**€ 150,-** **€ 145,-**

* auf Anfrage





New

SPECTRA™ TI 35

Ready-to-use handheld and clip-on

The SPECTRA™ TI 35 is equipped with a highly sensitive IR sensor and uses the most advanced thermal imaging technology to provide unique hunting and observation experiences even in total darkness. It has virtually all the features you'll find on the market: 12 colour and environment filters, live-view on your mobile phone, integrated video & photo, app control, range-finding, picture-in-picture and it automatically detects and marks a heat source in the field of view. It is also lighter and more compact than any other device on the market. Delivery includes high-quality eyepiece for observation and RUSAN adaptor for hunting.

- WiFi & hotspot function
- Range estimation function
- Thermal spot tracking
- Photo & video recording
- Powerbank compatible
- Detection range up to 1.300 m
- 7 colour modes 5 environment filters
- Lightweight & compact
- 3 year warranty

Technical data	Spectra TI 35
Detector resolution	384 x 288 px, VOx
Pixel size	17 µm
Frame rate	50 Hz
Sensitivity	< 35 mK
Objective	35 mm
Relative aperture	F/1.0
FOV (HxV)	10,0° x 8,0°
Digital zoom	1x-8x
Photo transmission	via WiFi
Dimensions	120 x 62 x 62 mm
Weight	350 g
Operating time	4,5 h cont. operation
Stock N°	**50786.000**

Only available in germany and Austria.

Please check your local laws regarding the use of night vision during hunting.





1 SPYPOINT LINK-MICRO S LTE

- Integrated **solar panel** with exchangeable lithium battery (included)
- Photo transfer with pre-activated SIM card * at LTE speed **
- 0.4 s trigger speed
- Definition: **10 Megapixel**
- 4 Power low glow LEDs with 24 m flash range
- Small dimensions: approx. 78 x 150 x 56 mm (LxHW)

74090.200 **€ 349,90**

* We would like to explicitly indicate that all SPYPOINT LINK cameras has an SIM lock. The cameras can therefore only be used with the included SIM card. Operations with SIM cards from other providers are not possible.

** depending on availability

2 SPYPOINT LINK-S DARK

- **Integrated solar panel** with fixed lithium battery allows increased battery life
- **Hybrid Illumination Technology Flash System** - customize your flash to meet your needs.
- Ultra fast: **0.07 s trigger speed**
- Photo transfer with pre-activated SIM card * at **4G/LTE** speed **
- Definition: **12 Megapixel**
- 42 Super low glow LEDs, 28 m flash range
- 2,4“ colour screen with zoom function
- **HD video and audio recording**
- With **GPS geotag**

74089.100 **€ 449,90**

FREE monthly plan.

100 images per month for free.

- incl. pre-activated SIM card
- Camera fully configurable with the FREE APP

SERVICE PLANS

MONTHLY PLANS	FREE	BASIC	STANDARD	PREMIUM
Photos per month	100	250	1.000	Unlimited
Activation fees	×	×	×	×
Month-to-month	FREE	5 € per month	10 € per month	15 € per month
Annual subscription (1 time payment)	**FREE**	**4 €** per month 20 % Off	**7 €** per month 30 % Off	**10 €** per month 33 % Off

* Free monthly plan ordered when no other plan is selected

More information about the cameras and data plans at:

www.spypoint.info



4 SPYPOINT mobile antenna

External omnidirectional antenna (passive) to improve the mobile radio signal, 4.6 m cable length, with RP-SMA plug, Bracket included for easy installation.

74064.000 **€ 129,90**

5 SPYPOINT Li Battery & Charger

Rechargeable lithium battery and charger with charging indicator. Battery is less affected by cold temperatures and lasts up to three times longer than alkaline batteries. 7,4V - 2.000mAh.

74058.000 **€ 79,90**

6 SPYPOINT Lithium Battery Pack

Rechargeable lithium battery, 3,4V - 10.000mAh. Compatible with LINK-MICRO and CELL-LINK.

74059.100 **€ 79,90**

Recommended retail price.



4

New



3 SPYPOINT LINK-MICRO LTE

- Photo transfer with pre-activated SIM card * at LTE speed **
- 0,5 s Trigger speed
- Definition: **10 Megapixel**
- 4 Power low glow LEDs with 24 m flash range
- Dimensions: approx. 78 x 111 x 56 mm (LxHW)
- Power source: 8 AA batteries (not included)

74090.100 **€ 229,90**


4 SPYPOINT LINK-MICRO LTE Twin Pack

Set of two Link-Micro LTE trail cameras in colour: dark-grey

74090.101 **€ 389,90**

* We would like to explicitly indicate that all SPYPOINT LINK cameras has an SIM lock.
The cameras can therefore only be used with the included SIM card. Operations with SIM cards from other providers are not possible.

** depending on availability



* We would like to explicitly indicate that all SPYPOINT LINK cameras has an SIM lock.
The cameras can therefore only be used with the included SIM card. Operations with SIM cards from other providers are not possible.